

Material Safety Data Sheet

HMIS

Health	<u>0</u>
Flammability	<u>0</u>
Reactivity	<u>0</u>
Personal Protection	<u>E</u>

Last Review 4-28-00

I. Identification

Product Name: Perma-Guard Fossil Shell Flour D-10
Chemical Name: _____ **Chemical Family:** SILICATES
Formula: _____
D-10

II. Ingredients

<u>Mineral or Chemical Name(s)</u>	<u>Weight %</u>	<u>CAS #</u>
<u>Amorphous Silica – Natural Diatomite</u>	<u>95.00%-100.0%</u>	<u>61790-53-2</u>

III. Physical Data

Boiling Point: N/A **Freezing Point:** N/A
Vapor Pressure: N/A **Vapor Density:** N/A
Evaporation Rate: N/A **% Volatile:** NONE
Specific Gravity: C **Solubility in Water:** SLIGHTLY
Appearance and Odor: A SOFT EARTHY POWDER

IV. Health Hazard Data

Flash Point: None **Flammable Limits:** None
Extinguishing Media: None
Special Fire Fighting Procedures: None
Unusual Fire and Explosion Hazards: None

Threshold Limit Value: 10MG/M3 **Total Dust:** Nuisance Dust
Possible Effects of a Single overexpose
Acute Accidental Exposure would be non-specific.
Inhalation Symptoms might include coughing, wheezing, difficult
Breathing and Upper Respiratory Tract Irritation.

Skin Contact No Known Concern

Eye Contact May Cause temporary discomfort and irritation

Ingestion No Known Hazard

Possible Effects of Repeated Overexposure

Chronic Overexposure May Cause Pneumoconiosis (dusty lungs)

-No Known Hazard-

Emergency and First Aid Procedures

<u>INHALATION</u>	<u>Remove to fresh air. If breathing is difficult, oxygen and call a physician</u>
<u>SKIN CONTACT</u>	<u>Of no general concern. Simply wash with soap and water.</u>
<u>EYE CONTACT</u>	<u>For acute exposure, flush with water. IF irritation or discomfort persists, call a physician.</u>

Ingestion **No Known Hazard.**

Notes to Physician

There are no specific antidotes to acute overexposure. Treatment should be directed at control of the symptoms.

V. Reactivity Data

<u>Stability:</u>	<u>Inert</u>	<u>Incompatibility:</u>	<u>None</u>
<u>Hazardous Decomposition Products</u>		<u>None</u>	
<u>Hazardous polymerization:</u>		<u>None</u>	
<u>Conditions to avoid:</u>		<u>None</u>	

VI. Spill or Leak Procedures

<u>Steps to be taken if material is released or spilled</u>	<u>Vacuum Clean or Wet Sweep Spillage</u>
<u>Waste Disposal Method</u>	<u>Waste should be disposed of in closed containers to prevent dust.</u>

VII. Special Protection Information

<u>Respiratory Protection</u>	<u>Approved dust respirators for exposure to potentially high dust environments.</u>
<u>Ventilation</u>	<u>Local Exhaust Ventilation Recommended.</u>
<u>Protective gloves</u>	<u>Not Required</u>
<u>Eye Protection</u>	<u>Safety Glasses</u>
<u>Other Protective Equipment</u>	<u>Not Required</u>

VIII. Special Precautions

Precautions to be taken in handling and storage
As with all powders, limit the creation and inhalation of dust.
Wet floor may become extremely slippery when diatomite is present.

IX. Additional Precautions

Emergency Telephone Numbers

Medical: (801)295-2025

Technical: (801)295-2025