

Click Here to visit [www.GreenCure.net](http://www.GreenCure.net)



Produced For:  
H & I AGRITECH, INC.  
95 BROWN ROAD BOX 1030  
ITHACA, NY 14850 - 1257

EPA REG. NO. 70870-1  
EPA EST. NO. 67187-NY-001

Cures and prevents powdery mildew, blackspot, blights, molds and other plant diseases on garden crops & ornamentals.

ACTIVE INGREDIENT:  
Potassium Bicarbonate.....85.00%  
OTHER INGREDIENTS.....15.00%  
TOTAL.....100.00%

### For Organic Production

A fungicide for the control of powdery mildew and other diseases on terrestrial and indoor ornamental plants, greenhouse and garden crops, and turf

### CAUTION

KEEP OUT OF REACH OF CHILDREN  
See side (or back) panel for the First Aid Information.

Net weight: 8 oz. (227 g)

**PRECAUTIONARY STATEMENTS - HAZARD TO HUMANS AND DOMESTIC ANIMALS      CAUTION**

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

**FIRST AID**

- |               |   |
|---------------|---|
| If swallowed: | <ul style="list-style-type: none"><li>· Call poison control center or doctor immediately for treatment advice.</li><li>· Have person sip a glass of water if able to swallow.</li><li>· Do not induce vomiting.</li><li>· Do not give anything by mouth to an unconscious person.</li></ul>         |
| If in eyes:   | <ul style="list-style-type: none"><li>· Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li><li>· Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>· Call a poison control center or doctor for treatment advice.</li></ul> |

**HOT LINE NUMBER**

Have a product label or container with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center (NPIC) at 1-800-858-7378 between the hours of 6:30 a.m. to 4:30 p.m. Pacific time, seven days a week for emergency medical information.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partially Filled: Call your local solid waste agency or (800) 858-7378 (National Pesticide Information Center) for disposal instructions. Never place unused product down any indoor or outdoor drain.

### GENERAL INFORMATION

GreenCure is a broad spectrum, contact foliar fungicide that controls a variety of diseases on terrestrial and indoor woody and herbaceous ornamental, greenhouse and garden plants and turf. GreenCure is applied with spray equipment using a sufficient volume of water to insure complete coverage of all stems and foliage.

**IMPORTANT:** Read the entire label before using GreenCure.

**MIXING INSTRUCTIONS:** Dilute GreenCure with water before applying. Carefully measure and mix the stated amounts of product and water. Mix 1 to 2 level tablespoons of GreenCure per gallon of water. Do not exceed this use rate. Mix the solution thoroughly before use. One gallon of this solution is sufficient to treat approximately 450 square feet. Apply the solution to all exposed surfaces of the plant. Use a sufficient spray volume to obtain complete coverage of all foliage and stems. Uniform and complete coverage is essential for the most effective results. **DO NOT STORE UNUSED SPRAY SOLUTIONS.** Spray adjuvants are not required. Some tank mixes with other pesticide products and fertilizers may produce spray mixes that are incompatible. A "jar test" is recommended for unfamiliar tank mixes. As with any pesticide, the addition of spray adjuvants and other pesticides to the spray tank may cause phytotoxicity to the foliage and/or fruit of susceptible crops and plants.

**APPLICATION TIMING:** Start application at first sign of disease. For best protection, repeat at one to two week intervals until conditions are no longer favorable for disease development. Shorten the interval during rainy weather or during periods of high relative humidity. For appropriate crops, GreenCure may also be applied post-harvest to remaining foliage to decrease overwintering inoculum.

**ORNAMENTAL APPLICATIONS:** (California uses are listed in a separate section.)

**PLANT TYPES:** GreenCure is for: Woody and Ornamental Shade Trees, Woody and Herbaceous Ornamentals, Ornamental Nut and Fruit Trees, Annual and Perennial Flowers, Foliage Plants, Ground Covers and Bedding Plants.

**FOR USE ON:** Ageratum, Ajuga, Almond-Ornamental, Alyssum, Andromeda, Aphelandra, Apple-Ornamental, Apricot-Ornamental, Artemisia, Aster, Azalea, Begonia, Boxwood, Calendula, Centaurea montana, Cherry-Ornamental, Chrysanthemum, Cineraria, Citrus, Clematis, Coleus, Columbine, Coral Bells (Heuchera), Crape Myrtle, Crassula, Croton, Daylily, Delphinium, Dianthus, Dizygotheca, Dogwood, English Ivy, Episcia, Euonymus, Fern, Fir, Forsythia, Gazania, Geranium, Gerbera daisy, Ginseng, Gladiolus, Gloxinia, Gypsophila, Hawthorn, Heliopsis scabra, Hibiscus, Holly, Hoya, Hydrangea, Impatiens, Iris, India-hawthorn, Juniper, Kalanchoe, Lavender, Lemon balm, Lipstick balm, Lipstick vine (Aeschynanthus), Marigold, Monarda (Bee balm), Nectarine-Ornamental, Pachysandra, Palm, Pansy, Peach-Ornamental, Peperomia, Periwinkle, Philodendron, Photinia, Phlox, Pilea, Pine, Pittosporum, Plum-Ornamental, Poinsettia, Poppy, Pothos, Primrose, Privet, Protea, Prune-Ornamental, Pulmonaria, Pyracantha, Rhododendron, Rose, Rose-of-Sharon, Schefflera, Snapdragon, Spruce, Statice, Tree Ivy, Verbena, Viburnum, Violet, Zinnia.

**DISEASES CONTROLLED:** Alternaria blight, Anthracnose, Ascochyta blight, Blackspot, Botrytis blight, Botrytis gray mold, Cercospora leaf spot, Corynespora leaf spot, Didymellina leaf spot, Diplodia tip blight, Downy mildew, Entomosporium leaf spot, Fusarium, Helminthosporium leaf spot, Ink spot, Monilinea fruit and blossom rot, Penicillium spp., Phomopsis blight, Powdery mildew, Ovulinia sp., Ramularia leaf spot, Ray blight, Rust, Scab, Septoria leaf spot.

**GARDEN APPLICATIONS:** (California uses are listed in a separate section.)

**FOR USE ON:** Acorn squash, Almonds, Apples, Apricots, Avocado, Basil, Blueberries, Broccoli, Cabbage, Caneberries, Cantaloupe, Cherries, Chicory, Citrus, Crenshaw melon, Cucumber, Dry beans, Eggplant, Endive, Escarole, Grapes, Honeydew, Kale, Lettuce, Lima bean, Mango, Muskmelon, Mustard greens, Okra, Oregano, Peaches, Pears, Peas, Pecans, Peppers, Pistachio, Plums, Potatoes, Prunes, Pumpkin, Radicchio, Rosemary, Sage, Snap beans, Snow peas, Spinach, Strawberries, Summer squash, Sweet potatoes, Thyme, Tomatoes, Turnip, Walnut, Watermelon, Winter squash, Zucchini.

**DISEASES CONTROLLED:** Alternaria leaf spot, Anthracnose, Botrytis, Cercospora leaf spot, Downy mildew, Fly speck, Fusarium, Monilinea fruit and blossom rot, Penicillium spp., Phoma, Phomopsis blight, Phytophthora, Powdery mildew, Scab, Septoria leaf spot.

**TURF APPLICATION:** GreenCure is for use in the following use sites: Residential lawns and other turf grass sites.

**FOR USE ON:** Bentgrass, Bermudagrass, Blue grass, (Kentucky,annual), Centipede grass, Fescue (fine tall, chewings, red), Ryegrass (perennial, annual), St. Augustinegrass, Zoysiagrass.

**DISEASES CONTROLLED:** Alternaria leaf spot, Anthracnose, Ascochyta blight, Cercospora leaf spot, Downy mildew, Helminthosporium leaf spot, Powdery mildew, Septoria leaf spot

**FOR USE ONLY IN CALIFORNIA**

**FOR USE ON:** Acorn squash, Almonds, Apples, Apricots, Cantaloupe, Cherries, Chicory, Crenshaw melon, Cucumber, Endive, Escarole, Grapes, Honeydew, Lettuce, Muskmelon, Peaches, Pears, Peppers, Pistachio, Plums, Prunes, Pumpkin, Radicchio, Rose, Spinach, Strawberries, Summer squash, Tomatoes, Walnut, Watermelon, Winter squash, Zucchini.

**DISEASES CONTROLLED:** Downy mildew, Powdery mildew

**NOTICE:** Buyer assumes all responsibility for safety if use is not in accordance with label instructions.

**IMPORTANT NOTICE: DISCLAIMER AND LIMITATION OF LIABILITY**

This product has been researched to provide necessary data to support its use on the ornamental, greenhouse and agricultural plants listed on the label. However, it is understood that tests may not have been carried out on all varieties or cultivars and under all growing conditions on all plants listed on the label. Always follow the label directions. Exercise care when using this product on a given variety until familiar with the results under your growing conditions. **NO WARRANTY OR REPRESENTATION IS MADE, EXPRESS OR IMPLIED, CONCERNING THE RESULTS OBTAINED FROM THE USE OF THIS PRODUCT IF NOT USED IN ACCORDANCE WITH DIRECTIONS OR ESTABLISHED SAFE PRACTICE.** To the extent allowable by state law the exclusive remedy of the user or Buyer, and the limit of liability of H & I Agritech, Inc. or any other Seller, for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or Buyer for the quantity of this product involved. The Buyer and all users are deemed to have accepted the terms of this Notice, which may be varied only by agreement in writing, signed by a duly authorized representative of H & I Agritech, Inc.